

Date: 07/03/2022 Page 1/10

Revision: N°4 (30/03/2020)

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: CHRYSO®Air G100

Product code: B0232S.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Concrete and mortar admixture.

## 1.3. Details of the supplier of the safety data sheet

Registered company name : CHRYSO Nordic AB. Address : Färgvägen 8.443 61.STENKULLEN.Sweden.

Telephone: 031-352 50 80. Fax:.

info@chryso.se www.chryso.se

## 1.4. Emergency telephone number: 112.

Association/Organisation: .

## SECTION 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word : WARNING

Product identifiers:

613-088-00-6 1,2-BENZISOTHIAZOL-3(2H)-ONE EC 220-239-6 METHYLISOTHIAZOLINON

Hazard statements:

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary statements - Prevention:

P264 Wash the hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary statements - Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Precautionary statements - Disposal:

P501 Dispose of contents/container to a collect point for special or hazardous waste.

Date: 07/03/2022 Page 2/10

Revision: N°4 (30/03/2020)

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

**Composition:** 

Identification	(EC) 1272/2008	Note	%
EC: 931-329-6	GHS05, GHS09		$0 \le x \% < 2.5$
REACH: 01-2119490100-53	Dgr		
	Skin Irrit. 2, H315		
AMIDES, C8-18 (EVEN NUMBERED) AND	Eye Dam. 1, H318		
C18-UNSATD., N,N-BIS(HYDROXYETHYL)	Aquatic Chronic 2, H411		
CAS: 68439-57-6	GHS05		$0 \le x \% < 2.5$
EC: 931-534-0	Dgr		
REACH: 01-2119513401-57	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
SULPHONIC ACIDS, C14-16(EVEN			
NUMBERED)-ALKANE HYDROXY AND			
C14-16(EVEN NUMBERED)-ALKENE,			
SODIUM SALTS			
INDEX: 613-088-00-6	GHS05, GHS07, GHS09		$0 \le x \% < 0.05$
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Eye Dam. 1, H318		
	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 2682-20-4	GHS06, GHS05, GHS09		$0 \le x \% < 0.01$
EC: 220-239-6	Dgr		
	Acute Tox. 3, H301		
METHYLISOTHIAZOLINON	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
	Skin Sens. 1, H317		
	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
	EUH:071		

**Specific concentration limits:** 

Specific concentration limits	ATE
Skin Irrit. 2: H315 >=5%	dermal: ATE = 13500 mg/kg BW
Eye Dam. 1: H318 C>= 38%	oral: ATE = 2079 mg/kg BW
Eye Irrit. 2: H319 5% <= C < 38%	
Skin Sens. 1: H317 C>= 0.05%	
Skin Sens. 1: H317 C>= 0.0015%	
	Skin Irrit. 2: H315 >=5% Eye Dam. 1: H318 C>= 38% Eye Irrit. 2: H319 5% <= C < 38% Skin Sens. 1: H317 C>= 0.05%

Date: 07/03/2022 Page 3/10

Revision: N°4 (30/03/2020)

### **Information on ingredients:**

(Full text of H-phrases: see section 16)

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. description of first aid measures

## In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

## In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

#### 5.1. Extinguishing media

No data available.

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- sulphur dioxide (SO2)

# 5.3. Advice for firefighters

No data available.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For non first aid worker

Avoid any contact with the skin and eyes.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

Date: 07/03/2022 Page 4/10

Revision: N°4 (30/03/2020)

## 6.4. Reference to other sections

No data available.

## **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### **Packaging**

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

No data available.

# 

SULPHONIC ACIDS, C14-16(EVEN NUMBERED)-ALKANE HYDROXY AND C14-16(EVEN NUMBERED)-ALKENE, SODIUM SALTS (CAS: 68439-57-6)

Final use: Workers.

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 2158.33 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 152.22 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 12.95 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 1295 mg/kg body weight/day

## Predicted no effect concentration (PNEC):

SULPHONIC ACIDS, C14-16(EVEN NUMBERED)-ALKANE HYDROXY AND C14-16(EVEN NUMBERED)-ALKENE, SODIUM SALTS (CAS: 68439-57-6)

Environmental compartment: Soil.

PNEC: 0.0061 mg/kg

Environmental compartment: Sea water.

Date: 07/03/2022 Page 5/10 Revision: N°4 (30/03/2020)

PNEC: 0.0042 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 2.025 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.2025 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 4 mg/l

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

## - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

## - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Colour

Light yellow

Odour

Odour threshold: Not stated.
Odour: Characteristic

Version: N°2 (07/03/2022) CHRYSO Nordic AB

## CHRYSO®Air G100 - B0232S

Date: 07/03/2022 Page 6/10

Revision: N°4 (30/03/2020)

**Melting point** 

Melting point/melting range : Not relevant.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not relevant.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%): Not stated. Explosive properties, upper explosivity limit (%): Not stated.

Flash point

Flash point interval: Not relevant.

**Auto-ignition temperature** 

Self-ignition temperature: Not relevant.

**Decomposition temperature** 

Decomposition point/decomposition range: Not relevant.

Ha

pH (aqueous solution) : Not stated.  $pH: \hspace{1cm} 7.00 \hspace{3mm} .$ 

Neutral.

Kinematic viscosity

Viscosity: Not stated.

Solubility

Water solubility: Soluble.
Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: >1

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

Version : N°2 (07/03/2022) CHRYSO Nordic AB

#### CHRYSO®Air G100 - B0232S

Date: 07/03/2022 Page 7/10

Revision: N°4 (30/03/2020)

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- sulphur dioxide (SO2)

#### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity:

METHYLISOTHIAZOLINON (CAS: 2682-20-4)

Oral route : 200 < LD50 <= 300 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

Dermal route: 200 < LD50 <= 400 mg/kg

Species: Rat

OECD Guideline 402 (Acute Dermal Toxicity)

SULPHONIC ACIDS, C14-16(EVEN NUMBERED)-ALKANE HYDROXY AND C14-16(EVEN NUMBERED)-ALKENE, SODIUM

SALTS (CAS: 68439-57-6)

Oral route : LD50 = 2079 mg/kg

Species: Rat

Dermal route : LD50 = 13500 mg/kg

Species: Rabbit

Inhalation route (n/a): LC50 > 52 mg/l

Species: Rat

Skin corrosion/skin irritation:

METHYLISOTHIAZOLINON (CAS: 2682-20-4)

Corrosivity: Causes severe skin burns.

Species : Rabbit

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Respiratory or skin sensitisation:

 $SULPHONIC\ ACIDS,\ C14-16 (EVEN\ NUMBERED)-ALKANE\ HYDROXY\ AND\ C14-16 (EVEN\ NUMBERED)-ALKENE,\ SODIUM$ 

SALTS (CAS: 68439-57-6)

Local lymph node stimulation test:

Non-Sensitiser.

Species: Guinea pig

REACH Method B.42 (Skin Sensitisation: Local Lymph Node Assay)

Specific target organ systemic toxicity - repeated exposure :

SULPHONIC ACIDS, C14-16(EVEN NUMBERED)-ALKANE HYDROXY AND C14-16(EVEN NUMBERED)-ALKENE, SODIUM

SALTS (CAS: 68439-57-6)

Duration of exposure: 90 days

11.1.2. Mixture

No toxicological data available for the mixture.

Version: N°2 (07/03/2022) CHRYSO Nordic AB

#### CHRYSO®Air G100 - B0232S

## SECTION 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

#### 12.1.1. Substances

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N,N-BIS(HYDROXYETHYL)

Fish toxicity: LC50 = 2.4 mg/l

Duration of exposure: 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

NOEC = 0.32 mg/l

Duration of exposure : 28 days

OECD Guideline 204 (Fish, Prolonged Toxicity Test: 14-day Study)

Date: 07/03/2022 Page 8/10

Revision: N°4 (30/03/2020)

Crustacean toxicity: EC50 = 3.2 mg/l

Species : Daphnia magna Duration of exposure : 48 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Algae toxicity: ECr50 = 18.6 mg/l

Duration of exposure: 72 h

REACH Method C.3 (Algal Inhibition test)

Aquatic plant toxicity: ECr50 = 99 mg/l

Duration of exposure: 72 h

SULPHONIC ACIDS, C14-16(EVEN NUMBERED)-ALKANE HYDROXY AND C14-16(EVEN NUMBERED)-ALKENE, SODIUM

SALTS (CAS: 68439-57-6)

Fish toxicity: LC50 = 4.2 mg/l

Duration of exposure: 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity: EC50 = 4.53 mg/l

Duration of exposure: 48 h

Algae toxicity: ECr50 = 5.2 mg/l

Duration of exposure: 72 h

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

#### 12.2.1. Substances

SULPHONIC ACIDS, C14-16(EVEN NUMBERED)-ALKANE HYDROXY AND C14-16(EVEN NUMBERED)-ALKENE, SODIUM

SALTS (CAS: 68439-57-6)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N,N-BIS(HYDROXYETHYL)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

### 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Endocrine disrupting properties

No data available.

Version : N°2 (07/03/2022) CHRYSO Nordic AB

#### CHRYSO®Air G100 - B0232S

Date: 07/03/2022 Page 9/10

Revision: N°4 (30/03/2020)

#### 12.7. Other adverse effects

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

\_

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

\_

# SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/1480 (ATP 13)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2019/521 (ATP 12)
- Container information:

No data available.

## - Particular provisions :

No data available.

# 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

# Wording of the phrases mentioned in section 3:

H301 Toxic if swallowed. H302 Harmful if swallowed.

Version : N°2 (07/03/2022) CHRYSO Nordic AB

#### CHRYSO®Air G100 - B0232S

Date: 07/03/2022 Page 10/10 Revision: N°4 (30/03/2020)

H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.

#### Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period. 
LC50: The concentration of a test substance resulting in 50% lethality in a given period. 
EC50: The effective concentration of substance that causes 50% of the maximum response. 
ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

STEL : Short-term exposure limit TWA : Time Weighted Averages TMP : French Occupational Illness table

TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods. IATA : International Air Transport Association. ICAO : International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.